


LIGHTING SUPPORTS			
 LW 125	Page 8 LIGHTING SUPPORTS		
	LW 10	Follow spot support. Height: 2,10 mt. Weight: 7,3 Kg.	40,85
	CP 1	Accessory for the LW 10	5,35
	LW 20	Follow spot support. Height : 1,58 mt. Weight: 9 Kg.	83,80
	CP 2	Accessory for the LW 20	11,27
	LW 125	Max. weight: 60 Kg. Ø 35. Height 3,10 mt. Weight:7,3 Kg.	52,82
	LW 125 + AW 500	Set de torre plegable y barra transversal. Carga: 60 Kg	32,39
	LW 126	Torre plegable	58,45
	LW 127	Max.weight:70 Kg. Ø 35 Height:2,8 mt. Weight:9,5 Kg.	76,06
	LW 129	Max.weight:100 Kg. Ø 35.Height:2,7 mt. Weight: 10,5 Kg	129,58
LW 130	Max.weight: 100 Kg. Ø 35.Height: 3mt. Weight: 13 Kg.	160,56	

LIFTING TOWERS			
 LW 290 R  350 (6)	Page 12 LIFTING TOWERS		
	LW 330	Load : 100 Kg. Ø 35. Height : 3,3 m	278,17
	LW 135R	Load : 100 Kg. Ø 35. Height : 3,5 m	263,38
	LW 142R	Load : 100 Kg. Ø 35 mm. Height: 4,05 m	310,56
	LW 150R	Load : 100 Kg. Ø 35. Height: 5 m	354,23
	LW 155R	Load : 150 kg. Height: 5,3 m	479,58
	LW 185R	Load : 190 Kg. Ø 35. Height : 5,3 m	542,25
	LW 255R	Load : 220 Kg. Ø 55. Height : 5,3 m	627,46
	LW 265R	Load : 220 Kg. Ø 40. Height: 6,5 m	696,48
	LW 290R	Load : 290 Kg. Ø 50. Height : 6,6 m	902,11
	LW 415 R	Load : 170 kg - Height : 5 m	921,13
	LW 425 R	Load : 150 kg. Height: 6,5 m	1034,51
	LW 476R	Load: 200 Kg. Height 7,6 m	1345,07
	LW 461R	Load: 250 Kg. Height 6,5 m	1197,89
	LW 465R	Load : 370 Kg. Height : 6,5 m	1790,85
	LW 480R	Load : 300 Kg. Height 8 m	2047,18
	WT 600	LINE ARRAY - 350 kg - 6,5 m	1574,65




LW 415 R / LW 425 R







LW 476 R / LW 461 R



LW 465 R / LW 480 R

LIFTING TOWERS			
 AW 50	Page 30 AW 50 & ACCESSORIES		
	AW 50	Base with winch. Load: 500 Kg. Height:7 mt.	826,76
	AW 51	Aluminium truss - 1 mt. - 30x30 with security fastener	142,25
	AW 52	Aluminium truss - 2 mt. - 30x30 with security fastener	186,62
	AW 53	Aluminium truss - 3 mt. - 30x30 with security fastener	254,23
	AW 54	Aluminium top structure part - 2 mt. - 30x30	245,77
	AW 60	Truss - 40x60x240 simple with guides and wheels	334,51
	AW 61	Truss - 40x60x300 simple with guides and wheels	364,08
	AW 62	Truss - 60x60x240 double with guides and wheels	364,08
	AW 63	Truss - 60x60x300 double with guides and wheels	395,07


Цены без НДС и без учета новых пошлин на импорт товара. Приведены в условные единицы.
Оплата производится в гривнах по курсу Нацбанка. 1y.e = 1 €

ACCESSORIES				
 AW 135/140/155	Page 31 ACCESSORIES FOR TRUSS			
	AW 21	Male bolt for truss	7,75	
	AW 22	Female bolt for truss	8,10	
	AW 23	Fastener for the bolt	0,92	
	AW 24	Clip for the fastener	0,21	
 AW 235  AW 440	Page 33 LIFTER/TRUSS ACCESSORIES			
	AW 135	Support bar for truss. 35mm. Male tube	33,80	
	AW 137	Support bar for truss. 35mm. Female tube	33,80	
	AW 140	Support bar for truss. 40mm. Male tube	33,80	
	AW 150	Support bar for truss. 50mm. Male tube	33,80	
	AW 155	Support bar for truss. 55mm. Male tube	31,69	
	AW 215	Support bar for truss. 35 mm. Female tube (AW 220)	10,56	
	AW 235	Support bar for truss. 35 mm. Male tube	14,79	
	AW 237	Support bar for truss. 35 mm. Female tube	14,79	
	AW 240	Support bar for truss. 40 mm. Male tube	14,79	
	AW 250	Support bar for truss. 50 mm. Male tube	14,79	
	AW 255	Support bar for truss. 55 mm. Male tube	14,79	
	AW 335	Lateral support bar. 35 mm. Male tube	20,42	
	AW 337	Lateral support bar. 37 mm. Male tube	20,42	
	AW 340	Lateral support bar. 40 mm. Male tube	20,42	
	AW 350	Lateral support bar. 50 mm. Male tube	23,24	
	AW 355	Lateral support bar. 55 mm. Male tube	35,92	
	 AW 12	AW 435	Twin lateral support. 35 mm. Tube	35,92
		AW 440	Twin lateral support. 40 mm. Tube	37,32
		AW 450	Twin lateral support. 50 mm. Tube	37,32
AW 455		Twin lateral support. 55 mm. Tube	37,32	
AW 10		Parallel truss support. 35 mm. Male Tube	15,49	
AW 11		Parallel truss support. 35 mm. Female Tube	15,49	
AW 12		Parallel truss support. 40 mm. Male Tube	7,75	
AW 29		Parallel truss support. 50 mm. Male Tube	18,31	
AW 13		Parallel truss support. 55 mm. Male Tube	15,49	
AW 14		Double truss adapter for 40 x 60	50,70	
AW 15		Double truss adapter for 60 x 60	50,70	
AW 16		Simple truss adapter for 40 x 60	25,35	
AW 17		Double truss adapter for fixed bridge 40 x 60	52,82	
AW 18		Simple truss adapter for fixed bridge 40 x 61	31,69	
 AW 19	Page 33 LIFTER/TRUSS ACCESSORIES			
	AW 19	40 x 60 Truss adapter for LW-255R	28,87	
	AW 20	40 x 60 Truss adapter for LW-265 R	28,87	
	AW 30	41 x 60 Truss adapter for LW-290 R	30,28	
	AW 1/ 35	Support for 2 loudspeakers - 35 mm. top hat	15,49	
AW 2/ 37	Support for 2 loudspeakers - LW-125/127/129/130	15,49		
Page 34 WINCHES				
4 AF/40	Winch with automatic brake - 500 Kg.	47,18		
6 AF	Winch with automatic brake - 600 Kg.	59,86		
8 AF	Winch with automatic brake - 800 Kg.	80,99		
MOD 351	Winch with automatic brake - 350 Kg.	64,08		
MOD 501	Winch with automatic brake - 500 Kg.	82,39		
MOD 901	Winch with automatic brake - 900 Kg.	116,20		

Цены без НДС и без учета новых пошлин на импорт товара. Приведены в условные единицы.
 Оплата производится в гривнах по курсу Нацбанка. 1у.е = 1 €

 MOD 501	Page 34		ELECTRIFIED BARS	
	BEW 8/1 TWO	Electrified bar for 8 spots & 1 Input Harting	88,73	
	BEW 8/2 TWO	Electrified bar for 8 spots & 2 Input/Output Harting	97,89	
	AW 500	Transversal bar for LW 125. Length:1,50 mt.	16,90	
	AW 535	Transversal bar.Length: 1960 mm. 35 mm. Male	23,24	
	AW 537	Transversal bar.Length: 1960 mm. 35 mm. female	23,94	
	AW 540	Transversal bar.Length: 1960 mm. 40 mm. Male	25,35	
	AW 550	Transversal bar.Length: 1960 mm. 50 mm. Male	25,35	
	AW 555	Transversal bar.Length: 1960 mm. 55 mm. Male	25,35	
	Page 35		CONNECTION SYSTEMS	
	WTB 22	Male bolt for 22 cm truss	4,23	
	WTP 22	Cone fastener for 22 cm truss	0,92	
	WTR 22	"R" pin for fastener WTP 22	0,21	
	WTB 29	Male bolt for 29 cm truss	3,17	
	WTP 29	Cone fastener for 29 cm truss	0,85	
	WTR 29	"R" pin for fastener WTP 29	0,21	
 WPX 22 /100	Page 36		ALUMINIUM PARALELL TRUSSES	
	WPX 22 SERIES			
	WPX 22/100	32mm.tube - thickness: 1.5 mm. Length 100 cm.	35,21	
	WPX 22/200	32 mm.tube - thickness 1.5 mm. Length: 200 cm.	50,70	
	WPX 22/300	32 mm.tube- thickness 1.5 mm. Length: 300 cm.	66,20	
	Page 36		WPX 29 SERIES	
	WPX 29/100	Тубо 50 mm. Grosor 2 mm. Longitud 100 cm.	46,48	
	WPX 29/200	Тубо 50 mm. Grosor 2 mm. Longitud 200 cm.	64,08	
	WPX 29/300	Тубо 50 mm. Grosor 2 mm. Longitud 300 cm.	90,14	
 WPX 22/L3CP  WPX 22/X4NP	Page 37		WPX SERIES ACCESSORIES	
	WPX 22/L2090P	2 ways - 90° - horizontal- 50 x 50 x 22 cm	47,89	
	WPX 29/L2090P	2 ways - 90° - horizontal- 50 x 50 x 29 cm	52,11	
	WPX 22/L2090V	2 ways 90° - vertical- 50 x 50 x 22 cm	47,89	
	WPX 29/L2090V	2 ways 90° - vertical- 50 x 50 x 29 cm	52,11	
	WPX 22/L3CP	3 ways 90°- horizontal corner- 50x50x22 cm	81,69	
	WPX 29/L3CP	3 ways 90°- horizontal corner- 50x50x29 cm	90,85	
	WPX 22/L3CV	3 ways 90°- vertical corner- 50x50x22 cm	81,69	
	WPX 29/L3CV	3 ways 90°- vertical corner- 50x50x29 cm	90,85	
	WPX 22/T3NV	3 ways 90° - T union - Vertical - 50 x 50 x 22 cm	81,69	
	WPX 29/T3NV	3 ways 90° - T union - Vertical - 50 x 50 x 29 cm	90,85	
	WPX 22/T3NP	3 ways 90° - T union - horizontal - 50 x 50 x 22 cm	81,69	
	WPX 29/T3NP	3 ways 90° - T union - horizontal - 50 x 50 x 29 cm	90,85	
	WPX 22/X4NV	4 ways 90° - cross union vertical - 50x50x22	102,11	
	WPX 29/X4NV	4 ways 90° - cross union vertical - 50x50x29	107,04	
	WPX 22/X4NP	4 ways 90° - cross union horizontal - 50x50x22	102,11	
WPX 29/X4NP	4 ways 90° - cross union horizontal - 50x50x29	107,04		
	Page 38		ALUMINIUM TRUSSES	
	WTX 22 29 SERIES			
	WTX 22/100	Triangle truss - 32 mm. Tube - Length: 100 cm.	61,97	
	WTX 22/200	Triangle truss - 32 mm. Tube - Length: 200 cm.	88,03	
	WTX 22/300	Triangle truss - 32 mm. Tube - Length: 300 cm.	123,94	
	WTX 29/100	Triangle truss - 50 mm. Tube - Length: 100 cm.	73,94	
	WTX 29/200	Triangle truss - 50 mm. Tube - Length: 200 cm.	111,27	
	WTX 29/300	Triangle truss - 50 mm. Tube - Length: 300 cm.	152,11	
	WTX 29/400	Triangle truss - 50 mm. Tube - Length: 400 cm.	191,55	

Цены без НДС и без учета новых пошлин на импорт товара. Приведены в условные единицы.
 Оплата производится в гривнах по курсу Нацбанка. 1у.е = 1 €

Page 39		WTX SERIES CORNERS - TRIANGLE	
 WTX 22/L3L  WTX 22/L2045	WTX 22/L2045	2 ways - 45° horizontal - 100 x 100 x 22 cm	98,59
	WTX 29/L2045	2 ways - 45° horizontal - 100 x 100 x 29 cm	100,00
	WTX 22/L2060	2 ways - 60° horizontal - 100 x 100 x 22 cm	98,59
	WTX 29/L2060	2 ways - 60° horizontal - 100 x 100 x 29 cm	100,00
	WTX 22/L2090	2 ways - 90° horizontal corner-50x50 x22 cm	71,13
	WTX 29/L2090	2 ways - 90° horizontal corner-50x50 x29 cm	79,58
	WTX 22/L2120	2 ways - 120° horizontal corner-50x50 x22 cm	77,46
	WTX 29/L2120	2 ways - 120° horizontal corner-50x50 x29 cm	78,87
	WTX 22/L2135	2 ways - 65° horizontal corner-50x50 x22 cm	71,13
	WTX 29/L2135	2 ways - 65° horizontal corner-50x50 x29 cm	79,58
	WTX 22/L2090D	2 ways - 90° vertical corner-50x50 x22 cm	71,13
	WTX 29/L2090D	2 ways - 90° vertical corner-50x50 x29 cm	79,58
	WTX 22/2090I	2 ways - 90° vertical corner-apex in	71,13
	WTX 29/2090I	2 ways - 90° vertical corner-apex in	100,00
	WTX 22/R3U	3 ways - 90° vertical corner-apex right out	113,38
	WTX 29/R3U	3 ways - 90° vertical corner-apex right out	158,45
	WTX 22/L3U	3 ways - 90° vertical corner-apex left out	113,38
	WTX 29/L3U	3 ways - 90° vertical corner-apex left out	158,45
	WTX 22/L3R	3 ways - 90° vertical corner-apex in	113,38
	WTX 29/L3R	3 ways - 90° vertical corner-apex in	130,99
WTX 22/L3L	3 ways - 90° vertical corner-apex in	113,38	
WTX 29/L3L	3 ways - 90° vertical corner-apex in	130,99	
WTX 22/T3FR	3 ways - 90° - T union - right apex in	113,38	
WTX 29/T3FR	3 ways - 90° - T union - right apex in	113,38	
Page 40		WTX SERIES ACCESSORIES	
 WTX 29/T3FL  WTX 29/T3F	WTX 22/T3FL	3 ways - 90° - T Unión - left apex in	113,38
	WTX 29/T3FL	3 ways - 90° - T Unión - left apex in	113,38
	WTX 22/T3F	3 ways - 90° - horizont. T Union - apex out	113,38
	WTX 29/T3F	3 ways - 90° - horizont. T Union - apex out	113,38
	WTX 22/T3FU	3 ways - 90° - horizont. T Union - apex out	113,38
	WTX 29/T3FU	3 ways - 90° - horizont. T Union - apex out	113,38
	WTX 22/T3U	3 ways - 90° - Cross union	113,38
	WTX 29/T3U	3 ways - 90° - Cross union	113,38
	WTX 22/X4U	4 ways - 90° - horizontal cross union	135,92
	WTX 29/X4U	4 ways - 90° - horizontal cross union	139,44
 WTX 29/T4  WTX 29/T5R	WTX 22/T4	4 ways - 90° - T Unión - apex in	135,92
	WTX 29/T4	4 ways - 90° - T Unión - apex in	139,44
	WTX 22/T4U	4 ways - 90° - T Unión - apex out	135,92
	WTX 29/T4U	4 ways - 90° - T Unión - apex in	139,44
	WTX 22/T5R	4 ways - 90° - Right corner	135,92
	WTX 29/T5R	4 ways - 90° - Right corner	139,44
 WTX 29/X6	WTX 22/T5L	4 ways - 90° - left corner	135,92
	WTX 29/T5L	4 ways - 90° - left corner	139,44
	WTX 22/X4	4 ways - 90° - vertical cross union	135,92
	WTX 29/X4	4 ways - 90° - vertical cross union	138,73
	WTX 22/X5	5 ways - 90° - T Union - apex in	180,99
	WTX 29/X5	5 ways - 90° - T Union - apex in	195,77
	WTX 22/X5C	5 ways - 90° - cross union	181,69
	WTX 29/X5C	5 ways - 90° - cross union	174,65
WTX 22/X6	6 ways - 90° - cross union	197,89	

Цены без НДС и без учета новых пошлин на импорт товара. Приведены в условные единицы. Оплата производится в гривнах по курсу Нацбанка. 1у.е = 1 €

 WCX 29/300	WTX 29/X6	6 ways - 90° - cross union	211,27	
	WTX 22/X5U	5 ways - 90° - T Union -apex out	181,69	
	WTX 29/X5U	5 ways - 90° - T Union -apex out	174,65	
	Page 42		WCX 29 SERIES	
	WCX 29/100	Square truss -50 mm. Tube - Length 100 cm.	99,30	
	WCX 29/200	Square truss - 50 mm. Tube - Length 200 cm.	149,30	
	WCX 29/300	Square truss - 50 mm. Tube - Length 300 cm.	200,00	
	WCX 29/400	Square truss - 50 mm. Tube - Length 400 cm.	252,82	
	Page 42		WCX 40 SERIES	
	 CUBE 29	WCX 40/100	Square truss -50 mm. Tube - Length 100 cm.	129,58
WCX 40/200		Square truss - 50 mm. Tube - Length 200 cm.	197,18	
WCX 40/300		Square truss - 50 mm. Tube - Length 300 cm.	267,61	
WCX 40/400		Square truss - 50 mm. Tube - Length 400 cm.	331,69	
Page 43		CROSS UNION CUBE		
CUBE 29		Cube for WCX 29 - Square	193,66	
Page 43		CONNECTOR CUBE		
CONNECTOR CUBE 29		Set of bolt and screw	11,27	
Page 43		WCX SERIES SQUARE - CORNERS		
 WCX 22/X5		WCX 29/L2090	2 ways - 90° - corner - 50 x 50x 29 cm	102,11
	WCX 40/L2090	2 ways - 90° - corner - 50 x 50x 40 cm	141,55	
	WCX 29/L3	3 ways - 90° - corner - 50 x 50x 29 cm	154,93	
	WCX 40 /L3	3 ways - 90° - corner - 50 x 50x 40 cm	242,96	
	WCX 29/T3	3 ways - 90° - T union - 50 x 50x 29 cm	137,32	
	WCX 40 /T3	3 ways - 90° - T union - 50 x 50x 40 cm	242,96	
	WCX 29/T4	4 ways - 90° - T union - 50 x 50x 29 cm	179,58	
	WCX 40/T4	4 ways - 90° - T union - 50 x 50x 40 cm	235,92	
	WCX 29/X4	4 ways - 90° - cross union - 50 x 50x 29 cm	179,58	
	WCX 40/X4	4 ways - 90° - cross union - 50 x 50x 40 cm	235,92	
	WCX 29/X5	5 ways - 90° - cross union - 50 x 50x 29 cm	209,15	
	WCX 40/X5	5 ways - 90° - cross union - 50 x 50x 40 cm	279,58	
	Page 44		BASEPLATE	
	 WCX 29 BASEPLATE	WTX 22 BASEPLATE	Base for WTX 22 triangle	16,90
WTX 29 BASEPLATE		Base for WTX 29 triangle	23,94	
WCX 29 BASEPLATE		Base for WTX 29 triangle	28,17	
WCX 40 BASEPLATE		Base for WCX 40 square	65,49	
Page 44		CIRCULAR TRUSS		
 WTX 22 /200 C	Page 44		CIRCULAR FORM WITH WTX	
	WTX 22 /100 C	32 mm. Tube - Length 100 cm.	381,69	
	WTX 22 /200 C	33 mm. Tube - Length 200 cm.	764,08	
	WTX 22 /300 C	34 mm. Tube - Length 300 cm.	1145,77	
	WTX 29 /100 C	50 mm. Tube - Length 100 cm.	367,61	
	WTX 29 /200 C	50 mm. Tube - Length 200 cm.	735,92	
	Page 44		CIRCULAR ALUMINIUM TRUSS	
WTX 29 /300 C	50 mm. Tube - Length 300 cm.	1103,52		
WCX 29 /100 C	Circular Truss. Tube 50 mm Lenght 100 cm.	501,41		
WCX 29 /200 C	Circular Truss. Tube 50 mm Lenght 200 cm.	776,06		
WCX 29 /300 C	Circular Truss. Tube 50 mm Lenght 300 cm.	1292,96		
WCX 40 /100 C	Circular Truss. Tube 50 mm Lenght 100 cm.	958,45		
WCX 40 /200 C	Circular Truss. Tube 50 mm Lenght 200 cm.	1918,31		
WCX 40 /300 C	Circular Truss. Tube 50 mm Lenght 300 cm.	2876,76		

Цены без НДС и без учета новых пошлин на импорт товара. Приведены в условные единицы.

Оплата производится в гривнах по курсу Нацбанка. 1y.e = 1 €

CIRCULAR TRUSS			
 CUBE CONNECTOR PRO	Page 45		
	TRUSSES ACCESSORIES		
	AW 31		10,56
	AW 32		9,15
	HINGE		26,76
	ADAPTER TUBE 105	105 mm. - adapter	9,86
	ADAPTER TUBE 170	170 mm. - adapter	15,49
	ADAPTER TUBE 210	210 mm. - adapter	19,72
	WCB/100	Reforced apex - 100cm.	33,10
	WCB/200	Reforced apex - 200cm.	41,55
WCB/300	Reforced apex - 300cm.	50,00	
 G 5 	Page 46		
	CLAMPS		
	G 1	Clamp for 20mm. Tube	1,27
	G 1/32	Clamp for 32mm. Tube	2,11
	G 2	Clamp for 50mm. Tube	3,52
	G 3	Clamp with protection for 50mm. Tube	4,23
	G 4	Clamp with protection for 50mm. Tube	5,63
	G 5	Clamp with protection for 50mm. Tube	9,15
	CP 1	Adapter	4,93
	C 320	End piece for 50 mm	21,13
	C 400	Quickclamp for 50 mm tube	9,51
	P 2	Adapter	4,93
	CS 1	4 mm. Security cable - Length 90 cm	2,11
	CS 2	5 mm. Security cable - Length 140 cm	2,11
	C 360	Simple halfcoupler	9,15
	C 363	Simple halfcoupler with lifting eye	9,86
	C 370	Simple halfcoupler with lifting eye	9,86
	C 375	Halfcoupler with female connector	28,87
	C 280	Halfcoupler with TV-tap	9,15
	C 382	Swivel coupler for 50 mm. Tube	17,61
	C 550	Horizontal stand with mobile clamp	55,63
	C 500	Horizontal stand with mobile clamp	55,63
	C 700	Horizontal stand with mobile clamp	58,45
	G-450		5,99

Цены без НДС и без учета новых пошлин на импорт товара. Приведены в условные единицы.
 Оплата производится в гривнах по курсу Нацбанка. 1у.е = 1 €